



9920 Jefferson Blvd
 Culver City, CA 90232
 844-4-PKTFAB (toll free)
 +1-424-207-1300 (direct)
 www.packetfabric.com

Latency Metrics

North America

	ATL	BOS	CHI	DAL	DEN	HOU	IND	JAX	LAS	LAX	MIA	MSP	NYC	PDX	PHL	PHX	RIC	SEA	SLC	SAC	SFO	
ATL																						
BOS	24																					
CHI	17	22																				
DAL	18	42	23																			
DEN	37	45	23	19																		
HOU	15	38	31	7	37																	
IND	13	29	5	27	28	26																
JAX	24	33	37	26	52	22	34															
LAS	55	79	41	30	18	34	45	81														
LAX	46	70	47	28	25	35	52	72	9													
MIA	18	39	32	31	52	28	28	7	55	66												
MSP	25	31	9	32	32	40	14	52	50	60	43											
NYC	19	6	17	36	40	35	21	27	57	64	34	25										
PDX	63	70	48	50	33	59	52	91	25	35	84	40	65									
PHL	28	16	19	37	41	37	22	37	58	71	39	33	4	71								
PHX	37	60	42	19	25	26	46	63	9	10	52	50	55	44	82							
RIC	15	16	25	30	47	31	21	23	59	60	32	35	10	74	66	51						
SEA	60	66	44	51	30	60	49	87	30	31	82	35	60	5	84	40	70					
SLC	48	59	33	41	11	50	37	57	33	29	65	46	53	37	54	37	59	42				
SAC	54	80	53	38	31	46	57	66	13	17	71	59	75	16	77	21	73	20	24			
SFO	53	73	48	37	26	45	52	81	17	7	70	57	68	26	91	19	69	22	20	8		
WDC	12	13	23	28	45	28	19	20	57	57	28	32	7	71	64	48	3	67	59	72	73	



9920 Jefferson Blvd
Culver City, CA 90232
844-4-PKTFAB (toll free)
+1-424-207-1300 (direct)
www.packetfabric.com

All latency values are expressed in milliseconds (ms) and based on the optimal physical layer path. All packets are subject to be routed via an alternate path in the event of a failure on the optimal path. Alternate paths within North America can have an added latency of 2-50ms, and are not covered by the latency guarantee.

Transatlantic

	NYC
NYC	
LON	78

All latency values are expressed in milliseconds (ms) based on the optimal physical layer path. All packets are subject to be routed via an alternate path in the event of a failure on the optimal path. Alternate paths in between New York and London can have an added latency of 4 to 15ms, and are not covered by the latency guarantee.

Transpacific

	PDX
PDX	
SYD	138

All latency values are expressed in milliseconds (ms) based on the optimal physical layer path. All packets are subject to be routed via an alternate path in the event of a failure on the optimal path. Alternate paths in between Portland and Sydney can have an added latency and are not covered by the latency guarantee.

Europe

	AMS	CDG	FRA
AMS			



9920 Jefferson Blvd
Culver City, CA 90232
844-4-PKTFAB (toll free)
+1-424-207-1300 (direct)
www.packetfabric.com

CDG	17		
FRA	8	11	
LON	11	11	17

All latency values are expressed in milliseconds (ms) based on the optimal physical layer path. All packets are subject to be routed via an alternate path in the event of a failure on the optimal path. Alternate paths in between Europe can have an added latency of 8 to 17ms, and are not covered by the latency guarantee.